

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Old Bridge Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	9	17	0	.	9	17
AIDS-CD4 Only	24	45	0	.	24	45
HIV Only	20	38	0	.	20	38
-----	-----	---	-----	---	-----	---
Total	53	100	0	.	53	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	32	60	0	.	32	60
5-12	0	0	Black, Not Hispanic	10	19	0	.	10	19
13-19	#	#	Hispanic	8	15	0	.	8	15
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	9	17	-----	-----	---	-----	---	-----	---
40-49	32	60	Total	53	100	0	.	53	100
50+	10	19							
Unk.	0	0							
-----	-----	---							
Total	53	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	12	33	0	0	12	23
Injection drug user (IDU)	#	#	#	#	14	27
MSM/IDU	0	0	0	0	0	0
Heterosexual contact	#	#	#	#	14	27
Risk not reported/other***	9	25	#	#	12	23
-----	-----	---	-----	---	-----	---
Total	36	100	16	100	52	100

	Pediatric Transmission Modes					
	Males		Females		Total	
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Old Bridge Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total		Deaths (%)
	Cases	(%)		Cases	(%)		Cases	(%)	
PCP	20	(25)	18	0	(.)	0	20	(25)	18
Other OI w/o PCP	27	(33)	20	0	(.)	0	27	(33)	20
KS Alone	#	(#)	#	0	(.)	0	#	(#)	#
No Disease Listed	#	(#)	#	0	(.)	0	#	(#)	#
Total	81	(100)	48	0	(.)	0	81	(100)	48

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	54	67	0	.	54	67
5-12	0	0	Black, Not Hispanic	17	21	0	.	17	21
13-19	0	0	Hispanic	10	12	0	.	10	12
20-29	10	12	Other/Unknown	0	0	0	.	0	0
30-39	43	53							
40-49	20	25	Total	81	100	0	.	81	100
Over 49	8	10							
Unknown	0	0							
Total	81	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	20	33	0	0	20	25
Injection drug user (IDU)	25	41	6	30	31	38
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	11	18	#	#	14	17
Total	61	100	20	100	81	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Old Bridge Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	6	6	100%
1989	#	#	#
1990	#	#	#
1991	9	9	100%
1992	5	#	#
1993	#	#	#
1994	12	6	50%
1995	6	#	#
1996	8	#	#
1997	5	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
-----	-----	-----	-----
Total	81	48	59%